

Docket No. JHM1241

Page 2

IN THE CLAIMS

Claim 1. Cancel

Claim 2. (Currently amended) The light as claimed in claim ~~1~~ 13, wherein said means in said block for producing light is an LED.

Claim 3. (Currently amended) The light as claimed in claim ~~1~~ 13, wherein said block has two sources for producing light.

Claim 4. Cancel

Claim 5. Cancel

Claim 6. Cancel

Claim 7. (Currently amended) The light as claimed in claim ~~6~~ 13, wherein said means on each of said two ends, which engage said block, engage said floor of said block.

Claim 8. (Currently amended) The light as claimed in claim ~~6~~ 13, in combination with a wheel, and

said wheel has a plurality of spokes, and

said block is positioned on one side of said spokes, and

said clip is positioned on an opposite side of said spokes.

Docket No. JHM1241

Page 3

Claim 9. (Original) The combination as claimed in claim 8, wherein at least two of said plurality of spokes cross, and

one of said two ends of said clip is positioned on one side of where said two of said plurality of spokes cross, and

another of said two ends is positioned on another side of where said two of said plurality of spokes cross.

Claim 10. (Original) The combination as claimed in claim 2, wherein said LED is contained entirely within said block.

Claim 11. (New) A light adapted to be secured to a bike, wherein said light comprises:

a block,

said block having a length, a width, and a thickness,

means in said block for producing light,

said block having two side portions, and

said block having a groove between said side portions, and

said groove having a floor, and

means for securing said block to a bike, and

wherein said block has two sources for producing light, and

wherein one of said two sources for producing light is an LED, and another of said sources for producing light is a material that said block is made from.

Docket No. JHM1241

Page 4

Claim 12. (New) A light adapted to be secured to a bike, wherein said light comprises:

- a block,
- said block having a length, a width, and a thickness,
- means in said block for producing light,
- said block having two side portions, and
- said block having a groove between said side portions, and
- said groove having a floor, and
- means for securing said block to a bike, and
- wherein said block has two sources for producing light, and
- wherein said material comprises a compound comprising a ration of six parts of phosphorescent brightener and four parts of fluorescent coloring and four drops of mineral oil to 100 parts of polyvinylchloride.

Claim 13. (New) A light adapted to be secured to a bike, wherein said light comprises:

- a block,
- said block having a length, a width, and a thickness,
- means in said block for producing light,
- said block having two side portions, and
- said block having a groove between said side portions, and
- said groove having a floor, and
- means for securing said block to a bike, and

Docket No. JHM1241

Page 5

wherein said means for securing said block to a bike comprises a clip,

said clip having two ends and a base,

each of said two ends having means for engaging said block.